


**Терморезисторные фитинги для сварки полиэтиленовых труб  
производства “Georg Fischer” (Швейцария)**

Муфта **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d, mm	d1, mm	L, mm	Вес	Цена в евро
ME 20 GF	20	31	68	0,054	<b>2,43</b>
ME 25 GF	25	36	68	0,06	<b>2,76</b>
ME 32 GF	32	44	72	0,072	<b>2,98</b>
ME 40 GF	40	54	80	0,1	<b>3,12</b>
ME 50 GF	50	66	88	0,136	<b>4,84</b>
ME 63 GF	63	81	96	0,194	<b>5,10</b>
ME 75 GF	75	96	110	0,287	<b>7,11</b>
ME 90 GF	90	113	125	0,421	<b>9,52</b>
ME 110 GF	110	138	145	0,697	<b>11,63</b>
ME 125 GF	125	154	158	0,738	<b>15,88</b>
ME 140 GF	140	172	168	0,968	<b>18,29</b>
ME 160 GF	160	196	180	1,39	<b>21,16</b>
ME 180 GF	180	219	194	1,75	<b>31,13</b>
ME 200 GF	200	244	208	2,35	<b>36,10</b>
ME 225 GF	225	273	224	3,16	<b>44,41</b>
ME 250 GF	250	304	244	4,345	<b>62,43</b>
ME 280 GF	280	340	252	5,675	<b>88,26</b>
ME 315 GF	315	382	268	8	<b>100,86</b>
ME 355 GF	355	432	246	12,11	<b>164,56</b>
ME 400 GF	400	487	246	15,993	<b>202,20</b>

Муфта **+GF+** PE 100 SDR 17 (ISO S8, газ 5 бар / вода 10 бар)



Код	d, mm	d1, mm	L, mm	Вес	Цена в евро
ME17 160 GF	160	186	180	1,05	<b>17,75</b>
ME17 180 GF	180	213	194	1,45	<b>26,10</b>
ME17 200 GF	200	233	208	1,80	<b>30,28</b>
ME17 225 GF	225	261	224	2,39	<b>37,25</b>
ME17 250 GF	250	304	244	4,35	<b>52,15</b>
ME17 280 GF	280	340	252	5,68	<b>73,84</b>
ME17 315 GF	315	382	268	8,00	<b>84,36</b>
ME17 355 GF	355	414	246	8,20	<b>138,00</b>
ME17 400 GF	400	487	246	15,99	<b>169,51</b>
ME17 450 GF	450	522	290	15,50	<b>257,05</b>
ME17 500 GF	500	579	290	19,00	<b>276,01</b>
ME17 560 GF	560	638	392	25,50	<b>920,11</b>
ME17 630 GF	630	716	442	35,00	<b>1 131,14</b>

**Терморезисторные фитинги для сварки полиэтиленовых труб  
производства "Georg Fischer" (Швейцария)**

Муфта **+GF+** PE 100 SDR 11 (ISO S5, вода 16 бар) Только для водопроводных систем




Код	d, mm	d1, mm	L, mm	Вес	Цена в евро
MEW 450 GF	450	559	320	20,68	<b>370,52</b>
MEW 500 GF	500	621	360	28,4	<b>458,66</b>
MEW 560 GF	560	694	390	39,5	<b>960,29</b>
MEW 630 GF	630	780	430	55,64	<b>1287,79</b>
MEW 710 GF	710	878	475	72,45	по запросу
MEW 800 GF	800	988	520	102,5	по запросу
MEW 900 GF	900	1110	550	137,9	по запросу

Муфта **+GF+** PE 100 SDR 17 (ISO S5, вода 10 бар) Только для водопроводных систем



Код	d, mm	d1, mm	L, mm	Вес	Цена в евро
MEW17 560 GF	560	644	390	27,11	<b>834,73</b>
MEW17 630 GF	630	723	430	38,8	<b>1096,99</b>
MEW17 710 GF	710	814	475	49,37	по запросу
MEW17 800 GF	800	916	520	69,18	по запросу
MEW17 900 GF	900	1030	550	93,15	по запросу
MEW171000GF	1000	1143	600	125,7	по запросу
MEW171200GF	1200	1370	650	196,5	по запросу


Переход ПЭ/Латунь с внутренней резьбой **+GF+** PE 100 SDR 11 (ISO S5)  
для электросварных муфт и фитингов



Код	d, mm	R, mm	z, mm	L, mm	Вес	Цена в евро
ADF 32-1" GF	32	1"	35	71	0,25	<b>18,49</b>
ADF 40-1¼" GF	40	1¼"	39	77	0,397	<b>21,23</b>
ADF 50-1½" GF	50	1½"	43	81	0,589	<b>21,74</b>
ADF 63-1" GF	63	1"	47	89	1,071	<b>31,01</b>
ADF 63-1¼" GF	63	1¼"	47	89	1,027	<b>31,01</b>
ADF 63-1½" GF	63	1½"	47	89	0,95	<b>31,01</b>
ADF 63-2" GF	63	2"	47	89	0,8	<b>28,84</b>

## Терморезисторные фитинги для сварки полиэтиленовых труб производства «Georg Fischer» (Швейцария)

Переход ПЭ/Латунь с наружной резьбой **+GF+** PE 100 SDR 11 (ISO S5)  
для электросварных муфт и фитингов



Код	d, mm	R, mm	z, mm	L, mm	Вес	Цена в евро
ADF 20-1/2" GF	20	1/2"	33	75	0,133	14,56
ADF 25-3/4" GF	25	3/4"	33	76	0,	14,56
ADM 32-1" GF	32	1"	35	80	0,257	14,56
ADM 32-1 1/4" GF	32	1 1/4"	35	82	0,389	21,23
ADM 32-1 1/2" GF	32	1 1/2"	35	82	0,454	21,23
ADM 40-1" GF	40	1"	39	84	0,37	22,34
ADM 40-1 1/4" GF	40	1 1/4"	39	86	0,425	16,90
ADM 40-1 1/2" GF	40	1 1/2"	39	86	0,49	22,34
ADM 50-1" GF	50	1"	43	88	0,479	23,02
ADM 50-1 1/4" GF	50	1 1/4"	43	90	0,546	23,02
ADM 50-1 1/2" GF	50	1 1/2"	43	90	0,528	17,18
ADM 63-1 1/4" GF	63	1 1/4"	47	94	0,702	30,19
ADM 63-1 1/2" GF	63	1 1/2"	47	94	0,698	30,19
ADM 63-2" GF	63	2"	47	98	0,792	26,07


Редукция PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d, mm	d2, mm	d1, mm	L, mm	L1, mm	L2, mm	z, mm	Цена в евро
REL25/20GF	25	20	35	74	34	34	6	5,10
REL32/20GF	32	20	44	79	33	36	10	5,10
REL32/25GF	32	25	44	79	33	36	10	5,10
REL40/20GF	40	20	54	88	33	39	15	6,55
REL40/25GF	40	25	54	88	33	39	15	6,55
REL40/32GF	40	32	54	88	33	39	13	6,55
REL50/32GF	50	32	66	96	35	43	18	8,23
REL50/40GF	50	40	66	96	39	43	14	9,08
REL63/32GF	63	32	81	106	35	48	23	9,79
REL63/40GF	63	40	81	106	39	48	19	9,79
REL63/50GF	63	50	81	106	43	48	15	9,79
REL90/63GF	90	63	113	146	63	47	36	16,90
REL110/90GF	110	90	138	173	73	63	38	25,64
REL125/90GF	125	90	152	180	79	61	40	32,43
REL160/110GF	160	110	196	226	91	70	65	35,53
REL180/125GF	180	125	220	247	97	70	80	52,87
REL200/160GF	200	160	245	311	104	90	117	235,03
REL225/160GF	225	160	274	331	112	90	129	288,71
REL250/160GF	250	160	305	362	123	90	149	349,15
REL250/200GF	250	200	305	380	123	104	153	349,15

**Терморезисторные фитинги для сварки полиэтиленовых труб  
производства “Georg Fischer” (Швейцария)**

Колено 90° PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d, mm	d1, mm	L, mm	L1, mm	z, mm	Вес	Цена в евро
KEL90°/20 GF	20	35	54	34	20	0,093	7,16
KEL90°/25 GF	25	35	54	34	20	0,078	7,16
KEL90°/32 GF	32	44	53	36	17	0,098	7,40
KEL90°/40 GF	40	54	62	39	23	0,142	8,96
KEL90°/50 GF	50	66	71	43	28	0,215	11,25
KEL90°/63 GF	63	81	81	48	32	0,28	12,81
KEL90°/75 GF	75	97	101	61	40	0,53	18,32
KEL90°/90 GF	90	115	122	62	60	0,67	22,72
KEL90°/110 GF	110	140	147	72	76	1,19	32,97
KEL90°/125 GF	125	151	142	74	68	1,56	45,46
KEL90°/160 GF	160	196	178	92	86	2,2	90,06
KEL90°/180 GF	180	219	195	95	100	4,286	113,56
KEL90°/200 GF	200	245	265	104	161	7,405	287,38
KEL90°/225 GF	225	274	305	112	193	10,59	354,53
KEL90°/250 GF	250	305	335	123	212	13,58	460,60


Колено 45° PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d, mm	d1, mm	L, mm	L1, mm	z, mm	Вес	Цена в евро
KEL45°/32 GF	32	44	44	36	8	0,087	7,40
KEL45°/40 GF	40	54	50	39	11	0,121	8,96
KEL45°/50 GF	50	66	56	43	13	0,14	11,25
KEL45°/63 GF	63	81	63	48	15	0,274	12,81
KEL45°/75 GF	75	97	79	62	17	0,437	18,32
KEL45°/90 GF	90	115	91	62	29	0,537	22,72
KEL45°/110 GF	110	140	112	72	40	0,974	32,97
KEL45°/125 GF	125	151	107	74	33	1,166	45,46
KEL45°/160 GF	160	196	134	92	42	1,8	90,06
KEL45°/180 GF	180	217	142	95	47	3,2	113,56
KEL45°/200 GF	200	245	215	104	111	7,405	287,38
KEL45°/225 GF	225	274	235	112	123	10,59	354,53
KEL45°/250 GF	250	305	263	123	140	13,58	460,60


## Терморезисторные фитинги для сварки полиэтиленовых труб производства «Georg Fischer» (Швейцария)

Тройник равносторонний SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Код	d, mm	d1, mm	L, mm	L1, mm	z, mm	z1, mm	H, mm	Цена в евро
TEL20/20 GF	20	35	90	34	11	92	67	7,80
TEL25/25 GF	25	35	90	34	11	92	70	7,80
TEL32/32 GF	32	44	102	36	15	100	74	7,80
TEL40/40 GF	40	54	120	39	21	114	82	8,96
TEL50/50 GF	50	66	135	43	24	126	90	11,39
TEL63/63 GF	63	81	152	48	28	150	102	12,98
TEL75/75 GF	75	97	187	61	33	126	78	17,04
TEL90/90 GF	90	115	205	62	41	161	94	21,30
TEL110/110	110	140	255	72	56	184	104	33,54
TEL125/125	125	151	256	75	53	174	92	43,73
TEL160/160	160	196	325	92	71	206	103	78,67
TEL180/180	180	225	344	90	72	250	110	119,96
TEL200/200	200	245	560	104	176	250	117	288,71
TEL225/225	225	274	610	112	193	270	122	367,96
TEL250/250	250	305	667	123	211	288	127	480,08

Седловой отвод с фрезой +GF+ PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d,	d1,	H,	H1,	L,	L1,	z,	Цена в евро
OSF40/20 GF	40	20	99	33	103	70	102	23,62
OSF40/25 GF	40	25	99	33	103	70	102	23,62
OSF40/32 GF	40	32	99	33	103	70	120	23,62
OSF50/20 GF	50	20	104	38	103	70	102	25,81
OSF50/25 GF	50	25	104	38	103	70	102	25,81
OSF50/32 GF	50	32	104	38	103	70	120	25,81
OSF63/20 GF	63	20	134	44	126	70	115	28,01
OSF63/25 GF	63	25	134	44	126	70	115	28,01
OSF63/32 GF	63	32	134	44	126	70	130	28,01


Фреза ELGEF PLUS +GF+ PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d, mm	d1, mm	d2, mm	z, mm	L, mm	Be	Цена в евро
FEP 63/20 GF	63	20	32	130	69	0,384	13,97
FEP 63/25 GF	63	25	32	130	70	0,383	13,97
FEP 63/32 GF	63	32	32	130	76	0,383	13,97
FEP 63/40 GF	63	40	32	137	81	0,401	16,73
FEP 63/63 GF	63	63	32	160	100	1,120	16,73


## Терморезисторные фитинги для сварки полиэтиленовых труб производства «Georg Fischer» (Швейцария)

Седловой отвод **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d	d1	H	L	L1	B	Цена в евро
OSL110/90GF	110	90	101	220	82	164	91,26
OSL110/110GF	110	110	107	220	88	164	95,33
OSL125/90GF	125	90	101	220	82	179	111,45
OSL125/110GF	125	110	107	220	88	179	115,52
OSL160/90GF	160	90	102	240	82	215	124,64
OSL160/110GF	160	110	108	240	88	215	128,89
OSL160/125GF	160	125	129	240	99	215	124,64
OSL180/90GF	180	90	102	260	82	237	128,89
OSL180/110GF	180	110	108	260	88	237	133,08
OSL180/125GF	180	125	129	260	99	237	130,01
OSL200/90GF	200	90	102	260	82	253	134,26
OSL200/110GF	200	110	108	260	88	253	138,47
OSL200/125GF	200	125	129	260	99	253	134,1
OSL225/90GF	225	90	102	260	82	287	138,32
OSL225/110GF	225	110	108	260	88	287	142,34
OSL225/125GF	225	125	129	260	99	287	139,86
OSL250/90GF	250	90	102	260	82	312	145,34
OSL250/110GF	250	110	108	260	88	312	150,14
OSL250/125GF	250	125	129	260	99	312	148,68


Седловой отвод **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d, mm	d1, mm	H, mm	L1, mm	B, mm	d2, mm	Вес	Цена в евро
OSL 280/90 GF	280	90	102	82	243	65	1,18	223,45
OSL 280/110 GF	280	110	108	88	243	86	1,28	223,45
OSL 280/125 GF	280	125	129	99	243	86	1,48	223,45
OSL 315-355/90	315-355	90	102	82	250	65	1,18	243,77
OSL 315-355/110	315-355	110	108	88	250	86	1,28	243,77
OSL 315-355/125	315-355	125	129	99	250	86	1,48	243,77
OSL 400-450/90	400-450	90	102	82	250	65	1,18	243,77
OSL 400-450/110	400-450	110	108	88	250	86	1,28	243,77
OSL 400-450/125	400-450	125	129	99	250	86	1,48	243,77
OSL 500-630/90	500-630	90	102	82	263	65	1,06	284,24
OSL 500-630/110	500-630	110	108	88	263	86	1,16	284,24
OSL 500-630/125	500-630	125	129	99	263	86	1,36	284,24


## Терморезисторные фитинги для сварки полиэтиленовых труб производства «Georg Fischer» (Швейцария)

### Седловой отвод Plus Saddles and Valves **+GF+** PE 100 SDR 11 (ISO S5)



Код	d, mm	d1, mm	L, mm	Вес	Цена в евро
OSLP63/63GF	63	63	165	0,335	14,23
OSLP75/63GF	75	63	165	0,465	16,33
OSLP90/63GF	90	63	165	0,425	16,40
OSLP110/63GF	110	63	165	0,493	19,33
OSLP125/63GF	125	63	165	0,523	23,69
OSLP140/63GF	140	63	165	0,523	33,47
OSLP160/63GF	160	63	165	0,526	36,16
OSLP180/63GF	180	63	165	0,632	40,96
OSLP200/63GF	200	63	165	0,651	50,51
OSLP225/63GF	225	63	165	0,653	54,10
OSLP250/63GF	250	63	165	0,665	80,87
OSLP280/63GF	280	63	165	0,370	80,87
OSLP315-355/63GF	315-355	63	165	0,370	83,49
OSLP400/63GF	400	63	165	0,370	86,32


### Заглушка **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Код	d, mm	d1, mm	L, mm	Вес	Цена в евро
ZEL 20 GF	20	35	52	0,038	4,97
ZEL 25 GF	25	35	52	0,03	5,29
ZEL 32 GF	32	44	52	0,08	6,07
ZEL 40 GF	40	54	56	0,074	6,71
ZEL 50 GF	50	66	60	0,086	10,00
ZEL 63 GF	63	81	66	0,154	11,21
ZEL 75 GF	75	96	110	0,446	17,90
ZEL 90 GF	90	113	125	0,68	23,45
ZEL 110 GF	110	133	145	1,126	30,12
ZEL 125 GF	125	155	158	1,594	36,62
ZEL 140 GF	140	175	170	2,25	46,04
ZEL 160 GF	160	197	180	2,712	52,29
ZEL 180 GF	180	220	194	4,136	64,51
ZEL 200 GF	200	245	208	4,906	83,30
ZEL 225 GF	225	296	224	6,5	101,08

**Терморезисторные фитинги для сварки полиэтиленовых труб  
производства “Georg Fischer” (Швейцария)**

Відгалуження сідлове **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



L = length / Länge

Код	d, mm	d1, mm	d2, mm	H, mm	h, mm	L1, mm	L, mm	B, mm	Вес	Цена в евро
OSL 315/160	315	160	131	137	212	110	332	282	2,66	по запросу
OSL 315/225	315	225	184	160	306	127	336	260	4,59	по запросу
OSL 355/160	355	160	131	137	206	110	322	282	2,66	по запросу
OSL 355/225	355	225	184	160	319	127	366	249	4,71	по запросу
OSL 400/160	400	160	131	137	198	110	322	300	2,68	по запросу
OSL 400/225	400	225	184	160	329	127	366	241	4,70	по запросу
OSL 450/160	450	160	131	137	194	110	322	300	2,68	по запросу
OSL 450/225	450	225	184	160	329	127	366	233	4,70	по запросу
OSL 500/160	500	160	131	137	186	110	322	310	4,71	по запросу
OSL 500/225	500	225	184	160	344	127	366	226	4,65	по запросу
OSL 560/160	560	160	131	137	183	110	322	310	2,71	по запросу
OSL 560/225	560	225	184	160	344	127	366	220	4,65	по запросу
OSL 630/160	630	160	131	137	177	110	322	312	2,50	по запросу
OSL 630/225	630	225	184	160	353	127	366	214	4,63	по запросу
OSL 710/160	710	160	131	137	172	110	322	312	2,50	по запросу
OSL 710/225	710	225	184	160	352	127	366	208	4,63	по запросу
OSL 800/160	800	160	131	137	168	110	322	312	2,50	по запросу
OSL 800/225	800	225	184	160	359	127	366	203	4,61	по запросу
OSL 900/225	900	225	184	160	359	127	366	199	4,61	по запросу
OSL 1000/225	1000	225	184	160	359	127	366	195	4,61	по запросу